



ORELAP Cert No. 4092-004
OLCC No. 1002158CD2E

**Oregon Compliant Marijuana Potency Analysis by
 High Performance Liquid Chromatography**

Testing Accreditation #: 4092-004

Test Certificate #: 119831-001

Client Name, Sample Details
Pistil Pioneers
 Blachly, OR 97412
Sample: Rurple Berry
License: 020-10005453F9C
Type: Usable Marijuana
Method: FE04U
Metrc Test Pkg#: 1A4010300009665000000592
Metrc Source Pkg#: 1A4010300009665000000541
*****Water Activity:** 0.54
*****Moisture:** 12.33%

Test Conditions
Prepsheet ID#: ORP191106a
Scale: XS205-OR1
Temp: 20.6 °C
Baro PE: 1006 hPa
Analyst: HRM
Technician: EDT

Sample ID#: 119831
Lot #: manirbm_91719
Batch #: 119831
Batch Weight (g): 6810
Harvest/Process Date: 09/17/2019
Serving Size (g): 1
Date Received: 11/01/2019
Test Date: 11/06/2019



Test Compounds	THC	THCA	CBD	CBDA	CBN	CBG	CBC	THCV*	CBDV	Total Cannabinoids*	Total THC	Total CBD	Calc Max Total Cannabinoids*
Amount (%)	1.19	23.80	N/D	0.48	0.09	0.15	N/D	N/D	N/D	25.71	22.06	0.42	22.72
Amount (mg/g)	11.92	237.96	N/D	4.76	0.87	1.54	N/D	N/D	N/D	257.05	220.61	4.17	227.19
Amount per Serving (mg)	11.92	237.96	N/D	4.76	0.87	1.54	N/D	N/D	N/D	257.05	Serving Size~ (g):		1.00
LOQ (mg/g)	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05		%Decarb.	THC	CBD
±%RPD	2.34	0.99	+/-5%	1.52	15.38	+/-5%	+/-5%	+/-5%	+/-5%			5	0%

LOQ = Limit of Quantitation; %RPD = Relative Percent Deviation; %RSD = Relative Standard Deviation; N/D = Not Detected

*Designates values that are not currently included in the accredited scope of Iron Laboratories.

*** Designates tests that use the method FE-45.

Total THC and CBD is the calculated sum of THC or CBD and the amount of THC or CBD derived from THCA or CBDA, respectively. These values are calculated by applying a molar correction factor of 0.877 to the THCA or the CBDA value. Calc Max Total Cannabinoids is the sum of Total THC, Total CBD, CBN, CBG, CBC, THCV, and CBDV.

%Decarb. THC and CBD refers to the percentage of THC or CBD relative to THCA or CBDA, respectively.

SOP FE-01-OR9 was used in accordance with OAR 333-007 for sampling. All marijuana items are sampled and tested in accordance with OAR 333-007-0300 to 333-007-490 and OAR 333-064-0100 to 333-064-0110.

This certificate shall not be reproduced except in full, without written approval of Iron Laboratories, LLC.

Himashi Mead, Technical Manager



Joseph Rutkowski, Quality Manager

Iron Labs Oregon complies with 2009 TNI Environmental Laboratory Standards.

Tested by Iron Laboratories Oregon, 71 Centennial Loop Suite D Eugene, OR 97401



ORELAP Cert No. 4092-004
OLCC No. 1002158CD2E

Oregon Compliant QC Report

Testing Accreditation #: 4092-004

Test Certificate #: 119831-001

Client Name, Sample Details
Pistil Pioneers
 Blachly, OR 97412
Sample: Rumble Berry
License: 020-10005453F9C
Type: Usable Marijuana
Method: FE04U
Metrc Test Pkg#: 1A4010300009665000000592
Metrc Source Pkg#: 1A4010300009665000000541
*****Water Activity:** 0.54
*****Moisture:** 12.33%

Test Conditions
Prepsheet ID#: ORP191106a
Scale: XS205-OR1
Temp: 20.6 °C
Baro PE: 1006 hPa
Analyst: HRM
Technician: EDT

Sample ID#: 119831
Lot #: manirbm_91719
Batch #: 119831
Batch Weight (g): 6810
Harvest/Process Date: 09/17/2019
Serving Size (g): 1
Date Received: 11/01/2019
Test Date: 11/06/2019



Target Compound Name	Method Blank (µg/g)	LCS Spike (µg/g)	LCS Amount (µg/g)	Percent Recovery (%) LCS	LCS Duplicate Amount (µg/g)	Percent Recovery (%) LCSD	Relative Percent Difference (%)	QC Flag
Cannabidivarin (CBDV)	N.D.	N.D.	N.D.	0.00	N.D.	0.00	0.00%	
Cannabidiolic Acid (CBDA)	N.D.	1.29	1.33	103.10	1.31	101.55	1.52%	
Cannabigerol (CBG)	N.D.	0.16	0.18	112.50	0.18	112.50	0.00%	
Cannabidiol (CBD)	N.D.	N.D.	N.D.	0.00	N.D.	0.00	0.00%	
Δ9-Tetrahydrocannabivarin (THCV)	N.D.	N.D.	N.D.	0.00	N.D.	0.00	0.00%	
Cannabinol (CBN)	N.D.	0.10	0.06	60.00	0.07	70.00	15.38%	
Δ9-Tetrahydrocannabinol (THC)	N.D.	3.31	3.46	104.53	3.38	102.11	2.34%	
Cannabichromene (CBC)	N.D.	0.08	0.11	137.50	0.11	137.50	0.00%	
Tetrahydrocannabinolic acid (THCA)	N.D.	18.31	17.27	94.32	17.10	93.39	0.99%	

N.D. = Not Detected

LR = indicates compound recovery of matrix spike was outside the methods acceptable limits. (70-130%) Low recovery should be scrutinized for possible fail as it could indicate more compound present than is detected.

I = indicates that an amount of an interfering compound greater than the methods limit of detection was detected in the method blank sample. May indicate contamination of analytical system or consumables.

Q = indicates that the relative percent difference of two identically prepared Matrix Spike samples for a target analyte was greater than 20%

HR = indicates compound recovery of matrix spike was outside the methods acceptable limits. (70-130%) high recoveries should be scrutinized for passing as more compound may be detected than is actually present in the sample.

SOP FE-01-OR9 was used in accordance with OAR 333-007 for sampling. All marijuana items are sampled and tested in accordance with OAR 333-007-0300 to 333-007-490 and OAR 333-064-0100 to 333-064-0110.

This certificate shall not be reproduced except in full, without written approval of Iron Laboratories, LLC.

Himashi Mead, Technical Manager



Joseph Rutkowski, Quality Manager

Iron Labs Oregon complies with 2009 TNI Environmental Laboratory Standards.

Tested by Iron Laboratories Oregon, 71 Centennial Loop Suite D Eugene, OR 97401



ORELAP Cert No. 4092-004
OLCC No. 1002158CD2E

**Oregon Compliant Pesticide Analysis by
 Mass Spectrometer**

Testing Accreditation #: 4092-004

Test Certificate #: 119831-001

Client Name, Sample Details
Pistil Pioneers
 Blachly, OR 97412
Sample: Rumble Berry
License: 020-10005453F9C
Type: Usable Marijuana
Method: FE-52 (EN 15662 & AOAC 2007.01)
Metric Test Pkg#: 1A4010300009665000000592
Metric Source Pkg#: 1A4010300009665000000541

Test Conditions
Prepsheet ID#: ORPS191112a
Scale: Veritas-OR1
Temp: 21.8 °C
Baro Pressure: 1001 hPa
Analyst: JER
Technician: HRM

Sample ID#: 119831
Lot #: manirbm_91719
Batch #: 119831
Batch Weight (g): 6810
Harvest/Process Date: 09/17/2019
Serving Size (g): 1
Date Received: 11/01/2019
Test Date: 11/19/2019



Compound	MRL (µg/g)	LOD (µg/g)	Status (µg/g)	Compound	MRL (µg/g)	LOD (µg/g)	Status (µg/g)
Aldicarb	0.400	0.122	Pass/<LOD	Abamectin****	0.500	0.122	Pass/<LOD
Acephate	0.400	0.122	Pass/<LOD	Acequinocyl	2.000	0.245	Pass/<LOD
Acetamiprid	0.200	0.122	Pass/<LOD	Azoxystrobin	0.200	0.122	Pass/<LOD
Bifenazate	0.200	0.122	Pass/<LOD	Bifenthrin	0.200	0.122	Pass/<LOD
Boscalid	0.400	0.122	Pass/<LOD	Carbaryl	0.200	0.122	Pass/<LOD
Carbofuran	0.200	0.122	Pass/<LOD	Chlorantraniliprole	0.200	0.122	Pass/<LOD
Chlorfenapyr	1.000	0.490	Pass/<LOD	Chlorpyrifos	0.200	0.122	Pass/<LOD
Clofentazine	0.200	0.122	Pass/<LOD	Cyfluthrin**	1.000	0.490	Pass/<LOD
Cypermethrin***	1.000	0.490	Pass/<LOD	Daminozide	1.000	0.122	Pass/<LOD
DDVP (Dichlorvos)	1.000	0.245	Pass/<LOD	Diazinon	0.200	0.122	Pass/<LOD
Dimethoate	0.200	0.122	Pass/<LOD	Ethoprophos	0.200	0.122	Pass/<LOD
Etofenprox	0.400	0.122	Pass/<LOD	Etoazole	0.200	0.122	Pass/<LOD
Fenoxycarb	0.200	0.122	Pass/<LOD	Fenpyroximate	0.400	0.122	Pass/<LOD
Fipronil	0.400	0.122	Pass/<LOD	Flonicamid	1.000	0.122	Pass/<LOD
Fludioxonil	0.400	0.122	Pass/<LOD	Hexythiazox	1.000	0.122	Pass/<LOD
Imazalil	0.200	0.122	Pass/<LOD	Imidacloprid	0.400	0.122	Pass/<LOD
Kresoxim Methyl	0.400	0.122	Pass/<LOD	Malathion	0.200	0.122	Pass/<LOD
Metalaxyl	0.200	0.122	Pass/<LOD	Methiocarb	0.200	0.122	Pass/<LOD
Methomyl	0.400	0.122	Pass/<LOD	Methyl Parathion	0.200	0.122	Pass/<LOD
MGK-264‡	0.200	0.122	Pass/<LOD	Myclobutanil	0.200	0.122	Pass/<LOD
Naled	0.500	0.122	Pass/<LOD	Oxamyl	1.000	0.122	Pass/<LOD
Paclobutrazol	0.400	0.122	Pass/<LOD	Permethrin†	0.200	0.122	Pass/<LOD
Phosmet	0.200	0.122	Pass/<LOD	Piperonyl Butoxide	2.000	0.122	Pass/<LOD
Prallethrin	0.200	0.122	Pass/<LOD	Propiconazole	0.400	0.122	Pass/<LOD
Propoxur	0.200	0.122	Pass/<LOD	Pyrethrins*	1.000	0.122	Pass/<LOD
Pyridaben	0.200	0.122	Pass/<LOD	Spinosad*****	0.200	0.122	Pass/<LOD
Spiromesifen	0.200	0.122	Pass/<LOD	Spirotetramat	0.200	0.122	Pass/<LOD
Spiroxamine‡	0.400	0.122	Pass/<LOD	Tebuconazole	0.400	0.122	Pass/<LOD
Thiacloprid	0.200	0.122	Pass/<LOD	Thiamethoxam	0.200	0.122	Pass/<LOD
Trifloxystrobin	0.200	0.122	Pass/<LOD				

* Pyrethrins are reported as the sum of Jasmolin I, Cinerin I, and Pyrethrin I
 ** Cyfluthrins are reported as the sum of isomers Cyfluthrin I, II, III, and IV
 *** Cypermethrins are reported as the sum of isomers Cypermethrin I, II, III, and IV
 **** Abamectin is reported as the sum of Avermectin B1a and Avermectin B1b
 ***** Spinosad is reported as the sum of Spinosyn A and Spinosyn D
 † Permethrin and Prallethrin are reported as the sum of cis and trans isomers
 ‡ MGK-264 and Spiroximine are reported as the sum of isomers I and II
 MRL - Maximum Residue Limit; LOD - Limit of Detection

SOP FE-01-OR9 was used in accordance with OAR 333-007 for sampling. All marijuana items are sampled and tested in accordance with OAR 333-007-0300 to 333-007-490 and OAR 333-064-0100 to 333-064-0110.

This certificate shall not be reproduced except in full, without written approval of Iron Laboratories, LLC.

Joseph Rutkowski, Quality Manager



Hfmashi Mead, Technical Manager

Iron Labs Oregon complies with 2009 TNI Environmental Laboratory Standards.

Tested by Iron Laboratories Oregon, 71 Centennial Loop Suite D Eugene, OR 97401



ORELAP Cert No. 4092-004
OLCC No. 1002158CD2E

Oregon Compliant Pesticide QC Report

Testing Accreditation #: 4092-004

Test Certificate #: 119831-001

Client Name, Sample Details
Pistil Pioneers
 Blachly, OR 97412
Sample: Rumble Berry
License: 020-10005453F9C
Type: Usable Marijuana
Method: FE-52 (EN 15662 & AOAC 2007.01)
Metrc Test Pkg#: 1A4010300009665000000592
Metrc Source Pkg#: 1A4010300009665000000541

Test Conditions
Prepsheet ID#: ORPS191112a
Scale: Veritas-OR1
Temp: 21.8 °C
Baro Pressure: 1001 hPa
Analyst: JER
Technician: HRM

Sample ID#: 119831
Lot #: manirbm_91719
Batch #: 119831
Batch Weight (g): 6810
Harvest/Process Date: 09/17/2019
Serving Size (g): 1
Date Received: 11/01/2019
Test Date: 11/19/2019



Target Compound Name	Method Blank (µg/g)	QC Spike (µg/g)	Matrix Spike (µg/g)	Matrix Spike Duplicate (µg/g)	MS recovery%	MSD recovery%	Relative Percent Difference (%)	QC Flag
Acephate	N.D.	1	1.01	0.988	101.00	98.80	2.20	
Acequinocyl	N.D.	1	1.03	0.855	103.00	85.50	18.57	
Acetamiprid	N.D.	1	1.15	1.12	115.00	112.00	2.64	
Aldicarb	N.D.	1	1.02	0.959	102.00	95.90	6.16	
Avermectin B1a	N.D.	0.97	1.24	1.07	127.84	110.31	14.72	
Azoxystrobin	N.D.	1	1.08	1.1	108.00	110.00	1.83	
Bifenazate	N.D.	1	0.894	0.905	89.40	90.50	1.22	
Bifenthrin	N.D.	1	1.12	1.07	112.00	107.00	4.57	
Boscalid	N.D.	1	0.992	0.952	99.20	95.20	4.12	
Carbaryl	N.D.	1	1.1	1.02	110.00	102.00	7.55	
Carbofuran	N.D.	1	1.3	1.2	130.00	120.00	8.00	
Chlorantraniliprole	N.D.	1	1.12	1.03	112.00	103.00	8.37	
Chlorfenapyr	N.D.	1	0	0	0.00	0.00	0.00	
Chlorpyrifos	N.D.	1	1.05	0.934	105.00	93.40	11.69	
Clofentezine	N.D.	1	1.01	0.933	101.00	93.30	7.93	
Cyfluthrin	N.D.	1	1.32	1.12	132.00	112.00	16.39	HR
Cypermethrin	N.D.	1	1.1	1.13	110.00	113.00	2.69	
Daminoside	N.D.	1	0.953	0.821	95.30	82.10	14.88	
Diazanone	N.D.	1	1.12	1.03	112.00	103.00	8.37	
Dichlorvos	N.D.	1	1.09	1.15	109.00	115.00	5.36	
Dimethoate	N.D.	1	1.24	1.17	124.00	117.00	5.81	
Ethoprophos	N.D.	1	1.11	1.08	111.00	108.00	2.74	
Etofenprox	N.D.	1	1.14	1.06	114.00	106.00	7.27	
Etoxazole	N.D.	1	1.12	1.07	112.00	107.00	4.57	
Fenoxycarb	N.D.	1	1.06	0.968	106.00	96.80	9.07	
Fenpyroximate	N.D.	1	1.36	1.15	136.00	115.00	16.73	HR
Fipronil	N.D.	1	0	0	0.00	0.00	0.00	
Flonicamid	N.D.	1	1.26	1.27	126.00	127.00	0.79	
Fludioxonil	N.D.	1	0	0	0.00	0.00	0.00	
Hexythiazox	N.D.	1	0.974	0.902	97.40	90.20	7.68	
Imazalil	N.D.	1	1.21	1.12	121.00	112.00	7.73	
Imidacloprid	N.D.	1	1.27	1.2	127.00	120.00	5.67	
Kresoxim-methyl	N.D.	1	1.01	0.964	101.00	96.40	4.66	
Malathion	N.D.	1	1.06	0.947	106.00	94.70	11.26	
Metalaxyl	N.D.	1	1.17	1.08	117.00	108.00	8.00	
Methiocarb	N.D.	1	1.12	1.11	112.00	111.00	0.90	
Methomyl	N.D.	1	1.04	0.979	104.00	97.90	6.04	
MGK-264	N.D.	1	1.08	1.15	108.00	115.00	6.28	
Myclobutanil	N.D.	1	1.2	1.1	120.00	110.00	8.70	
Naled (dibrom)	N.D.	1	0.772	0.83	77.20	83.00	7.24	

Oxamyl	N.D.	1	1.3	1.26	130.00	126.00	3.13	
Paclobutrazol	N.D.	1	1.19	1.15	119.00	115.00	3.42	
Parathion-methyl	N.D.	1	0	0	0.00	0.00	0.00	
Permethrins	N.D.	1	1.2	1.14	120.00	114.00	5.13	
Phosmet	N.D.	1	1.04	0.946	104.00	94.60	9.47	
Piperonyl butoxide	N.D.	1	1.01	0.944	101.00	94.40	6.76	
Prallethrin	N.D.	1	1.12	0.956	112.00	95.60	15.80	
Propiconazole	N.D.	1	0.99	0.891	99.00	89.10	10.53	
Propoxur	N.D.	1	1.02	1.05	102.00	105.00	2.90	
Pyrethrin	N.D.	0.65	0.656	0.629	100.92	96.77	4.20	
Pyridaben	N.D.	1	1.1	0.967	110.00	96.70	12.87	
SpinosynA	N.D.	0.84	0.905	0.911	107.74	108.45	0.66	
SpinosynD	N.D.	0.16	0.228	0.227	142.50	141.88	0.44	
Spiromesifen	N.D.	1	0.0212	0.828	2.12	82.80	190.01	
Spirotetramat	N.D.	1	0.946	0.94	94.60	94.00	0.64	
Spiroxamine	N.D.	1	1.2	1.15	120.00	115.00	4.26	
Tebuconazole	N.D.	1	1.03	0.996	103.00	99.60	3.36	
Thiacloprid	N.D.	1	1.27	1.2	127.00	120.00	5.67	
Thiamethoxam	N.D.	1	1.17	1.13	117.00	113.00	3.48	
Trifloxystrobin	N.D.	1	1.12	1.06	112.00	106.00	5.50	

N.D. = Not Detected

I = indicates that an amount of an interfering compound greater than the methods limit of detection was detected in the method blank sample. May indicate contamination of analytical system or consumables.

Q = indicates that the relative percent difference of two identically prepared Matrix Spike samples for a target analyte was greater than 20%

R = indicates compound recovery of matrix spike was outside the methods acceptable limits. (70-130%) Low recovery could indicate there is actually more compound present than detected; while high recoveries should be scrutinized for possible fails as more compound may be detected than is actually residual on the sample.

SOP FE-01-OR9 was used in accordance with OAR 333-007 for sampling. All marijuana items are sampled and tested in accordance with OAR 333-007-0300 to 333-007-490 and OAR 333-064-0100 to 333-064-0110.

This certificate shall not be reproduced except in full, without written approval of Iron Laboratories, LLC.



Joseph Rutkowski, Quality Manager




Himashi Mead, Technical Manager

Iron Labs Oregon complies with 2009 TNI Environmental Laboratory Standards.

Tested by Iron Laboratories Oregon, 71 Centennial Loop Suite D Eugene, OR 97401